


0.5mm 8mm

16mm
0.95mm
1.9mm



SCALE 1:1

16mm 1.9mm .95mm

Pattern:

Nano-Perf 0.5

Description:

Dual perforations

Face: 0.5mm hole spaced at 1.9mm

O.C. equilateral triangle pattern

Rear: 8mm hole spaced at 16mm

O.C. equilateral triangle pattern

Base Material:

16mm MDF

Open Area:

8.2% - face

23.9% - rear

Backing Material:

SoundTex acoustic textile

2" 3lb Insulation

Test Method:

C423-01

Mounting Method:

Type E (16" airspace) - NRC .90

Type A (wall mount) - NRC .90

| | |
|-------------|----------|
| SCALE: | - |
| JOB NUMBER: | - |
| SHEET: | - |
| DRAWN BY: | MK |
| DATE: | 09/24/15 |

PERFORATION PATTERN
NANO-PERF 0.5



SOUND SEAL®
50 H.P. ALMGREN DRIVE AGAWAM, MA 01001
PH. (413) 789-1770 FAX: (413) 789-4444

| REV | REASON | DATE |
|-----|--------|----------|
| 01 | | 06/16/17 |
| 02 | | 07/12/18 |
| | | |
| | | |
| | | |
| | | |
| | | |